



TÜRKİYE ODALAR VE BORSALAR BİRLİĞİ



* B S R B F Y P R M C *

Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA

www.tobb.org.tr - tobb@hs01.kep.tr

Sayı : E-34221550-720-13479

Tarih: 22.12.2022

Konu : Kırgızistan Cumhuriyeti'nin Şişelenmiş Su Üretim Potansiyeli

TÜM ODA VE BORSALARA (Genel Sekreterlik)

İlgi : Kırgızistan Ankara Büyükelçiliği'nin 08.12.2022 tarihli e-postası.

İlgide kayıtlı e-posta mesajında, Kırgızistan Cumhuriyeti'nin şişelenmiş su üretim potansiyeli hakkında bilgilendirmeler yer almaktadır. Ayrıca, Kırgız Cumhuriyeti hükümetinin şişelenmiş su üretimini artırmak için modern tesler kurduğu belirtilmektedir.

Projeye ilişkin detaylı bilgi ekteki broşürde yer almaktadır.

Bilgilerini ve konunun ilgili üyelerinize duyurulmasını rica ederim.

Saygılarımla,

e-imza

Ali Emre YURDAKUL
Genel Sekreter Yardımcısı

EK:

- 1- Information (1) (5 sayfa)
- 2- Bottled water (22 sayfa)
- 3- Potential of the Kyrgyz Republic for the production of bottled water (9 sayfa)



Evraki Doğrulamak İçin : <https://belgedogrula.tobb.org.tr/belgedogrulama.aspx?eID=BSRBFYPRMC>
 Tel: +90 (312) 218 20 00 (PBX) - Faks: +90 (312) 219 41 90-91-92... - E-Posta : info@tobb.org.tr
 Bilgi İçin: Mustafa Eren ÖZTÜRK - Tel: - E-Posta : eren.ozturk@tobb.org.tr



Potential of the Kyrgyz Republic for the production and export of bottled water

Kyrgyzstan is a country of majestic Tien Shan and Pamir-Alai mountain ranges, occupying 90 percent of the territory of this most beautiful pristine corner with rugged relief, located in the heart of Central Asia. The amazing views of this region, where there are 29 mountain peaks over 4,000 meters high and 45 peaks over 3,000 meters high, have earned this land the fame of the "Country of Heavenly Mountains".

In the Kyrgyz part of the Tien Shan mountains there are more than 2,000 high mountain lakes. Since ancient times, many legends about the origin of these picturesque natural mirrors have come down to us.

More than 8000 glaciers and eternal snows stretching over 8100 sq. kilometers, make up about 30% of the total area of Kyrgyzstan. Glaciers make up 4% of the country's territory.

Nature has generously endowed Kyrgyzstan with huge fresh water resources contained in vast glaciers, full-flowing rivers, large and small lakes and large groundwater reserves. The mountainous relief allows the formation and accumulation of fresh water reserves.



The total amount of available water reserves in Kyrgyzstan is estimated at 2458 km³, including 650 km³ of water (26.4%) stored in glaciers, 1745 km³ in lakes (71%), as well as 13 km³ of potential underground fresh and mineral-thermal water reserves.

Only in glaciers contains about 6.5 trillion liters of fresh water. This is approximately 20 times the global bottled water consumption per year.

Given the significant water resources of Kyrgyzstan, as well as the growing demand in the world for bottled water, this industry seems to be very promising and deserves special attention for development and investment.

The source of natural glacial water is located in an ecologically clean, protected foothill zone of the Ala-Kush tract, the Ala-Archa National Park at an altitude of 2100 meters above sea level, which guarantees crystal purity and pristine taste and is considered unique. During the year, its chemical composition practically does not change. The water is lively, soft, saturated with minerals and practically devoid of natural salts.

Water is an excellent source of life activity. The low composition of mineralization makes the water ideal for daily consumption. Quenching your thirst with this water, you can not be afraid of the accumulation and deposition of mineral salts in the body. Water of melting ice, carrying the information of eternal spring and prosperity.

The flow rate of the natural water source (water content) is 4,320 cubic meters per day or 4,320,000 liters / day.

Even if 70% of this volume is used, 756 million liters of bottled water can be produced per year for the amount of 18.9 billion soms or \$225 million.

In 2021, the total export of bottled water from Kyrgyzstan amounted to \$226,000.

The potential of only one source of natural glacial water is 1000 times greater than the total export of bottled water.

The equipment for the plant can be divided into three components:

- 1) equipment for purification and disinfection of water;
- 2) a line for bottling water into PET bottles;
- 3) equipment for the production laboratory.

Water purification and disinfection equipment

The water treatment process can be divided into three parts: pre-treatment, advanced treatment and final treatment.

The pre-treatment system consists of multi-layer filters with quartz sand and activated carbon, softeners and filters to remove iron and manganese.

Advanced processing includes reverse osmosis membrane treatment.

The final treatment includes disinfection with ultraviolet and ozone.

Quartz sand filter


Removes organic matter, microorganisms, chlorine and some heavy metal ions.

Activated carbon filter


Used to filter chlorine in water <0.1 PPM and has a significant effect on odor, organic matter, colloid and iron in water.

Sodium ion exchanger/water softener

Used to remove calcium and magnesium ions from water, thereby softening the water.



Pic.1 Water filter system




Pic.2 Reverse Osmosis Cleaning Equipment

Filters with reverse osmosis technology are used to obtain drinking water from polluted or saline sources, as well as to solve industrial problems.

Most UV water disinfection plants use low mercury pressure lamps. When operating at this wavelength, water softens.


Pathogenic microorganisms can harm the human body only if they multiply in the body; when water is disinfected with ultraviolet light, this ability is lost and, as a result, any negative effect of microorganisms is excluded.

Reverse osmosis technology is the most modern method that uses the principle of water molecules passing through a semi-permeable membrane under the influence of external pressure. With the help of the reverse osmosis process, it is possible to get rid of 98% of impurities dissolved in water (in industrial installations, the figure can reach 100%).



Pic.3 UV sterilizer


Water bottling line



Pic.4 Water bottling line


The water bottling line includes the following equipment:

1. PET bottle making machine;



Pic.5


2. 3 in 1 water filling machine: rinsing, filling, capping;



Pic.6


Pic.7

3. Labeling machine;




Pic.8

4. Packing machine



Pic.9



Drinking Water Treatment & Bottling Process for Export

Water Cluster Export Strategy using Eco-friendly Kyrgyzstan Environment


2022.06

Contents

I Bottling Process



II Drinking Water Treatment



III Export Strategy



Bottling Process


Bottling Process



- Total Bottling Process

| 1st Step : Drinking Water Treatment Process


| 2nd Step : Bottling Process



Botting Process




Whole Procedure of Bottling Process (PET bottle base)



Bottling Process


- Whole Procedure of Bottling Process (Carbonated Water + PET bottle base)



Bottling Process




● 2nd Step : Bottling Process (Main Process)



Bottling Process



● 2nd Step: Bottling Process (Main Process)











Bottling Process



Gelen Tarih Sayı: 24.122022 - 1553

- ## ● PET making Process: Preform Injection Mold, Blow Mold, Blow Machine




코어	캐비티	하트러너
Core part	Cavity part	Hot runner part


Bottling Process

- Bottling Main Equipment (PET base)


Bottle Unscrambler




Blowing Machine



Filling Machine



Automatic Thermo Shrink Packing Machine




Bottling Process




● Bottling Main Equipment (PET base)


Single Side Sticker Labeling Machine



Shrink sleeve labeling machine




Drinking Water Treatment



II Drinking Water Treatment



● Drinking Water Treatment Theory (1st Step)



Drinking Water Treatment



Gelen Tarih Sayı: 24.12.2022 - 1553

● Drinking Water Treatment Process (1st Step)

01. Raw Water Intake : Mountain (Eco Zone)

02. Raw Water Tank (Pump)

03. Silica Sand Filter

04. Activated Carbon Filter

05. Sodium Ion Exchanger

06. Microfilter

07. Reverse Osmosis


08. UV

09. Ozone

10. Filtrate Water Tank

Chemical & Maintenance Equipment

Instrument & PLC Equipment



Drinking Water Treatment



Gelen Tarih Sayı: 24.122022 - 1553


- Drinking Water Treatment Process (1st Step)

| Intake : Well pump, Raw water Tank

| Pre-treatment : Silica Sand Filter, Activated Carbon Filter, Sodium Ion Exchanger

| Main-treatment : Microfilter, Reverse Osmosis

| Post-treatment : UV, Ozone, Demineralization, Filtrate Tank




Drinking Water Treatment




- Drinking Water Treatment Plant(1st Step)

| Membrane Technology base : Ultrafiltration + Reverse Osmosis



Export Strategy



III Export Strategy



Gelen Tarih Sayı: 24.122022 - 1553

- Eco-friendly Kyrgyzstan Brand

|| Mountain (Eco Zone)

|| Water Qualities

|| Kyrgyzstan Environment

- High Technology Plant for Bottle Export

|| EU, South KOREA (NO China)

|| Automation Plant (Clean Plant)

|| Membrane Technology

|| Good Infra & Utilities (Truck, Fork Lift, Machine, Store Room)

|| Water Analysis Lab, NSF, HACCP, Certificate

- Site Survey (22 June 2022) : SAEL vs Kyrgyzstan Standard

|| SAEL: Private, Kara-Balta, 150 persons, UK (England) Certificate

|| Kyrgyzstan Standard: Public Official of MOE, Bishkek, 7 persons, Russia Loan (2021)

|| Output Independence, Site Accessibility, Manpower Expertise, Profitability & Sustainability


|| Maintenance Efficiency, Future Expandability, Regulation Connectivity & Obligation

|| Versatile Analysis Laboratory: Water, Agro (Soil), Air, Pesticide, Compost, Food, Quarantine

III Export Strategy



- Water Analysis & Certificate (HACCP, Global Bottling Water Regulation, Kyrgyzstan Drinking Water Standard)



III Export Strategy



Gelen Tarih Sayı: 24.12.2022 - 1553

- Bottling Plant Video

<https://www.youtube.com/watch?v=glxrCKwvGKY>

<https://www.youtube.com/watch?v=irf3gYmRMbU>

- Bottling Process Video

https://www.youtube.com/watch?v=N_u9eBF_d80

<https://www.youtube.com/watch?v=7AuHQRQzdU>

https://www.youtube.com/watch?v=4y_adRAIaSw

- Premium Bottling Marketing Video

<https://www.youtube.com/watch?v=MbL9ID9Lwlk>

<https://www.youtube.com/watch?v=neZgS5-ckEc>

III Export Strategy



- Definition of Water Cluster


- Configuration of Water Cluster


- Incentive of Water Cluster

- Expected Effect of Water Cluster

- Future Plan (Road Map) of Water Cluster

Thank you for your attention






Production of bottled water in the Kyrgyz Republic


JSC "Kyrgyzindustry"

Bishkek 2022


Fresh water reserves of Kyrgyzstan




Lakes - 1745 cubic km;
Glaciers - 650 cubic km;
Groundwater - 13 cubic km;
River drains - 52 cubic km;
Renewable water resources - 46 cubic km




The total volume is 2458 cubic km



Glaciers alone hold 20 years of global
bottled water consumption




Source of natural glacial water in the National Park "Ala-Archa"




- 2100 meters above sea level
- Water from an ecologically clean, protected area
- Crystal clear and pristine taste
- Living and soft water, the chemical composition practically does not change
- Ideal for daily consumption
- No deposition of mineral salts in the body

Financial potential of the source


The flow rate of the source (water content) is 4320 cubic meters/day or 4.32 million liters/day



Bottled water plant



Plant design according to HACCP principles




Compliance with international standard


ISO/TS 22002-1:2009 Food safety
prerequisite programs. Part 1. Food
production"

Water treatment


Filter system for mechanical water purification



Ultraviolet water disinfection system




Reverse Osmosis Equipment




Water bottling

®
TINGS
Bottle Washing-Filling-Capping
Integrated Machine


Bottle Washing-Filling-Capping




Blow Molding Machine




Blow Drying Machine Code Ink-jet Machine



Shrink Labeling System




Shrink Wrapping Package Machine




Designed by
Jiangmen Tings Drinking Water Equipment Co., Ltd.

Water bottling equipment


PET bottle making machine




3 in 1 filling machine:
rinsing, filling, capping




Packing machine



Labeling Machine





Thank you
for your attention!